ELSEVIER

Environmental and Experimental Botany 40 (1998) 287

Environmental and Experimental Botany

Author index of volume 40

Abernethy, G.A. **40**, 17
Al-Oudat, M. **40**, 11
Apple, M.E. **40**, 159

Barraclough, D. **40**, 209
Bastrup-Birk, A. **40**, 113
Baszyński, T. **40**, 275
Baydoun, S.A. **40**, 11

Cook, W.B. **40**, 221
Corradi, M.G. **40**, 59
Crittenden, P.D. **40**, 67
Cruz de Carvalho, M.H. **40**, 197

Deckmyn, G. **40**, 179
DeLaune, R.D. **40**, 123
Dixon, M. **40**, 77

Field, C.B. **40**, 147
Fredeen, A.L. **40**, 147

Garrec, J.P. **40**, 77
Gorbi, G. **40**, 59
Guerrier, G. **40**, 173

He, J. **40**, 255
Hew, C.S. **40**, 93, 255
Hu, W. **40**, 105
Hyvärinen, M. **40**, 67

Impens, I. **40**, 179

Jamieson, N. **40**, 209

Khan, M.R. **40**, 265
Khan, M.W. **40**, 265
Khoo, G.H. **40**, 93, 255
Kirkwood, S.M. **40**, 43
Koch, G.W. **40**, 147
Koh, K.T. **40**, 93
Kong, F.X. **40**, 105
Kurczyńska, E.U. **40**, 113

Laffray, D. **40**, 197
Le Thiec, D. **40**, 77
Liu, Y. **40**, 105
Li, Y. **40**, 187
Louguet, P. **40**, 197
Lucash, M.S. **40**, 159

McManus, M.T. **40**, 17
Mohammad, A. **40**, 11
Monaghan, R. **40**, 209
Morsi Abd-El-Monem, H. **40**, 59
Mortensen, L. **40**, 113

Neely, R.K. **40**, 43
Nepomuceno, A.L. **40**, 29

Olszyk, D.M. **40**, 159
Oosterhuis, D.M. **40**, 29

Pasha, M.J. **40**, 265
Pezeshki, S.R. **40**, 123
Prášil, I. **40**, 1

Read, D.J. **40**, 237
Rhizopoulou, S. **40**, 229
Rouhier, H. **40**, 237

Seiler, G.J. **40**, 135
Selstam, E. **40**, 275
Sibout, R. **40**, 173
Skórzyńska-Polit, E. **40**, 275
Sosebee, R.E. **40**, 247
Stewart, J.M. **40**, 29

Tingey, D.T. **40**, 159
Tukendorf, A. **40**, 275

Unkovich, M. **40**, 209

Vargo, S.M. **40**, 43

Wagner, E. **40**, 229
Wan, C. **40**, 247
Wang, X. **40**, 187
Wise, R.R. **40**, 221

Yue, M. **40**, 187

Zámečník, J. **40**, 1

PII: S0098-8472(98)00052-5

ELSEVIER

Environmental and Experimental Botany 40 (1998) 289–295

Environmental and Experimental Botany

Subject index of volume 40

Abscisic acid; *Festuca arundinacea*; Glycinebetaine; Leaf elongation rate; Leaf water potential; Proline; Water deficit **40**, 17

Abscisic acid; Fusicoccin; Mannitol; Microdrop recorder; Polyethylene glycol; Root exudation; *Zea mays* **40**, 229

Acyl lipids; Calcium; Cadmium; Growth parameters; Homoglutathione; Photochemical activity; *Phaseolus coccineus* **40**, 275

Ammonium; Nitrate; Nitrate reductase; Nitrification; Nitrogen-15; Chalk grassland; *Holcus lanatus*; *Pastinaca sativa*; *Poa trivialis* **40**, 209

Baldcypress; Flood-tolerance; Leaf conductance; Oak; Pecan; Pine; Photosynthesis **40**, 123

Biomass; UV-B radiation; Wheat; Broad beans; *Triticum durum*; *Vicia faba* **40**, 11

Branching density; *Helianthus annuus*; Growth pouch; Root fresh weight; Root chronology; Number of lateral roots; Hypocotyl growth and fresh weight; *Helianthus anomalus*; *Helianthus argophyllus*; *Helianthus exilis*; *Helianthus praecox*; *Helianthus petiolaris* **40**, 135

Brassica napus; Freezing injury; Electrolyte leakage; Degree of injury; Wheat; Rapeseed; *Triticum aestivum* **40**, 1

Broad beans; UV-B radiation; Wheat; Biomass; *Triticum durum*; *Vicia faba* **40**, 11

Bromheadia finlaysoniana; Photoassimilate partitioning; Pseudobulb; Stem internode; Rhizome; Tropical terrestrial orchids; *Spathoglottis unguiculata* **40**, 93

Bromus catharticus; Germination; Growth; Morphology; Seed production; UV-B **40**, 179

Bud; Climatic change; *Pseudotsuga menziesii*; Douglas fir; Morphology; Temperature **40**, 159

Bundle sheath cells; Chloroplast ultrastructure; Maize; Thylakoid stacking; Stomatal development; Mesophyll cells; Guard cells; *Zea mays* **40**, 221

Cadmium; Calcium; Growth parameters; Homoglutathione; Acyl lipids; Photochemical activity; *Phaseolus coccineus* **40**, 275

Calcium; Cadmium; Growth parameters; Homoglutathione; Acyl lipids; Photochemical activity; *Phaseolus coccineus* **40**, 275

California annual grassland; Elevated CO_2; Grassland microcosms; Ecosystem photosynthesis; Ecosystem WUE; Mediterranean climate **40**, 147

Cambium; Nitrogen; Open-top chambers; Ozone; *Picea abies*; Sieve cells; Tracheids **40**, 113

Carbon allocation; CO_2; Mycorrhiza; Nitrogen; *Paxillus involutus*; Phosphorus; *Pinus sylvestris*; *Suillus bovinus* **40**, 237

Chalk grassland; Ammonium; Nitrate; Nitrate reductase; Nitrification; Nitrogen-15; *Holcus lanatus*; *Pastinaca sativa*; *Poa trivialis* **40**, 209

Chloroplast ultrastructure; Maize; Thylakoid stacking; Stomatal development; Bundle sheath cells; Mesophyll cells; Guard cells; *Zea mays* **40**, 221

Chromium; Copper; Co-tolerance; *Scenedesmus acutus*; Zinc **40**, 59

Cladonia portentosa; Lichen; Growth rate; Nitrogen; Heathland **40**, 67

Climatic change; *Pseudotsuga menziesii*; Douglas fir; Bud; Morphology; Temperature **40**, 159

CO_2; Carbon allocation; Mycorrhiza; Nitrogen; *Paxillus involutus*; Phosphorus; *Pinus sylvestris*; *Suillus bovinus* **40**, 237

PII: S0098-8472(98)00053-7

Compatible solutes; Poplar; Enzyme stability; Glutamine synthetase; Water stress; *Populus nigra* **40**, 173

Conidial germination; Cucumber; Fungus disease; SO_2 pollution; *Sphaerotheca fuliginea* **40**, 265

Copper; Chromium; Co-tolerance; *Scenedesmus acutus*; Zinc **40**, 59

Co-tolerance; Chromium; Copper; *Scenedesmus acutus*; Zinc **40**, 59

Cucumber; Conidial germination; Fungus disease; SO_2 pollution; *Sphaerotheca fuliginea* **40**, 265

Decomposition; Detritus; Emergent plant; Macrophyte; Sedimentation; Wetland **40**, 43

Decomposition; *Triticum aestivum*; Spring wheat; UV-B radiation; Plant nutrients; Leaf chemistry; Dry matter yield **40**, 187

Degree of injury; Freezing injury; Electrolyte leakage; Wheat; Rapeseed; *Triticum aestivum*; *Brassica napus* **40**, 1

Dendrobium; Flowers; High temperature; Leaves; Photoinhibition; Tropical orchids **40**, 255

Detritus; Decomposition; Emergent plant; Macrophyte; Sedimentation; Wetland **40**, 43

Douglas fir; Climatic change; *Pseudotsuga menziesii*; Bud; Morphology; Temperature **40**, 159

Drought; *Fagus sylvatica*; Gas exchange; Open-top chambers; Ozone; *Picea abies* **40**, 77

Drought; Net assimilation rate; *Pennisetum americanum*; *Phaseolus vulgaris*; Stomatal conductance; *Vigna unguiculata* **40**, 197

Drought tolerance; Genotype; *Gossypium hirsutum*; Osmotic potential; Osmotic adjustment; Polyethylene glycol; Water-deficit stress; Water potential **40**, 29

Dry matter yield; *Triticum aestivum*; Spring wheat; UV-B radiation; Plant nutrients; Decomposition; Leaf chemistry **40**, 187

Ecosystem photosynthesis; Elevated CO_2; Grassland microcosms; Ecosystem WUE; California annual grassland; Mediterranean climate **40**, 147

Ecosystem WUE; Elevated CO_2; Grassland microcosms; Ecosystem photosynthesis; California annual grassland; Mediterranean climate **40**, 147

Electrolyte leakage; Freezing injury; Degree of injury; Wheat; Rapeseed; *Triticum aestivum*; *Brassica napus* **40**, 1

Elevated CO_2; Grassland microcosms; Ecosystem photosynthesis; Ecosystem WUE; California annual grassland; Mediterranean climate **40**, 147

Emergent plant; Decomposition; Detritus; Macrophyte; Sedimentation; Wetland **40**, 43

Enzyme stability; Poplar; Compatible solutes; Glutamine synthetase; Water stress; *Populus nigra* **40**, 173

Fagus sylvatica; Drought; Gas exchange; Open-top chambers; Ozone; *Picea abies* **40**, 77

Festuca arundinacea; Abscisic acid; Glycinebetaine; Leaf elongation rate; Leaf water potential; Proline; Water deficit **40**, 17

Flood-tolerance; Baldcypress; Leaf conductance; Oak; Pecan; Pine; Photosynthesis **40**, 123

Flowers; *Dendrobium*; High temperature; Leaves; Photoinhibition; Tropical orchids **40**, 255

Freezing injury; Electrolyte leakage; Degree of injury; Wheat; Rapeseed; *Triticum aestivum*; *Brassica napus* **40**, 1

Fungus disease; Conidial germination; Cucumber; SO_2 pollution; *Sphaerotheca fuliginea* **40**, 265

Fusicoccin; Abscisic acid; Mannitol; Microdrop recorder; Polyethylene glycol; Root exudation; *Zea mays* **40**, 229

Gas exchange; Drought; *Fagus sylvatica*; Open-top chambers; Ozone; *Picea abies* **40**, 77

Genotype; Drought tolerance; *Gossypium hirsutum*; Osmotic potential; Osmotic adjustment; Polyethylene glycol; Water-deficit stress; Water potential **40**, 29

Germination; *Bromus catharticus*; Growth; Morphology; Seed production; UV-B **40**, 179

Glutamine synthetase; Poplar; Compatible solutes; Enzyme stability; Water stress; *Populus nigra* **40**, 173

Glycinebetaine; *Festuca arundinacea*; Abscisic acid; Leaf elongation rate; Leaf water potential; Proline; Water deficit **40**, 17

Gossypium hirsutum; Drought tolerance; Genotype; Osmotic potential; Osmotic adjustment; Polyethylene glycol; Water-deficit stress; Water potential **40**, 29

Grassland microcosms; Elevated CO_2; Ecosystem photosynthesis; Ecosystem WUE; California annual grassland; Mediterranean climate **40**, 147

Green alga; Halogeno-benzenes; *Selenastrum capricornutum*; Structure–activity relationship; QSAR **40**, 105

Growth; *Bromus catharticus*; Germination; Morphology; Seed production; UV-B **40**, 179

Growth parameters; Calcium; Cadmium; Homoglutathione; Acyl lipids; Photochemical activity; *Phaseolus coccineus* **40**, 275

Growth pouch; *Helianthus annuus*; Root fresh weight; Root chronology; Branching density; Number of lateral roots; Hypocotyl growth and fresh weight; *Helianthus anomalus*; *Helianthus argophyllus*; *Helianthus exilis*; *Helianthus praecox*; *Helianthus petiolaris* **40**, 135

Growth rate; *Cladonia portentosa*; Lichen; Nitrogen; Heathland **40**, 67

Guard cells; Chloroplast ultrastructure; Maize; Thylakoid stacking; Stomatal development; Bundle sheath cells; Mesophyll cells; *Zea mays* **40**, 221

Halogeno-benzenes; Green alga; *Selenastrum capricornutum*; Structure–activity relationship; QSAR **40**, 105

Heathland; *Cladonia portentosa*; Lichen; Growth rate; Nitrogen **40**, 67

Helianthus annuus; Growth pouch; Root fresh weight; Root chronology; Branching density; Number of lateral roots; Hypocotyl growth and fresh weight; *Helianthus anomalus*; *Helianthus argophyllus*; *Helianthus exilis*; *Helianthus praecox*; *Helianthus petiolaris* **40**, 135

Helianthus anomalus; *Helianthus annuus*; Growth pouch; Root fresh weight; Root chronology; Branching density; Number of lateral roots; Hypocotyl growth and fresh weight; *Helianthus argophyllus*; *Helianthus exilis*; *Helianthus praecox*; *Helianthus petiolaris* **40**, 135

Helianthus argophyllus; *Helianthus annuus*; Growth pouch; Root fresh weight; Root chronology; Branching density; Number of lateral roots; Hypocotyl growth and fresh weight; *Helianthus anomalus*; *Helianthus exilis*; *Helianthus praecox*; *Helianthus petiolaris* **40**, 135

Helianthus exilis; *Helianthus annuus*; Growth pouch; Root fresh weight; Root chronology; Branching density; Number of lateral roots; Hypocotyl growth and fresh weight; *Helianthus anomalus*; *Helianthus argophyllus*; *Helianthus praecox*; *Helianthus petiolaris* **40**, 135

Helianthus petiolaris; *Helianthus annuus*; Growth pouch; Root fresh weight; Root chronology; Branching density; Number of lateral roots; Hypocotyl growth and fresh weight; *Helianthus anomalus*; *Helianthus argophyllus*; *Helianthus exilis*; *Helianthus praecox* **40**, 135

Helianthus praecox; *Helianthus annuus*; Growth pouch; Root fresh weight; Root chronology; Branching density; Number of lateral roots; Hypocotyl growth and fresh weight; *Helianthus anomalus*; *Helianthus argophyllus*; *Helianthus exilis*; *Helianthus petiolaris* **40**, 135

High temperature; *Dendrobium*; Flowers; Leaves; Photoinhibition; Tropical orchids **40**, 255

Holcus lanatus; Ammonium; Nitrate; Nitrate reductase; Nitrification; Nitrogen-15; Chalk grassland; *Pastinaca sativa*; *Poa trivialis* **40**, 209

Homoglutathione; Calcium; Cadmium; Growth parameters; Acyl lipids; Photochemical activity; *Phaseolus coccineus* **40**, 275

Hypocotyl growth and fresh weight; *Helianthus annuus*; Growth pouch; Root fresh weight; Root chronology; Branching density; Number of lateral roots; *Helianthus anomalus*; *Helianthus argophyllus*; *Helianthus exilis*; *Helianthus praecox*; *Helianthus petiolaris* **40**, 135

Leaf chemistry; *Triticum aestivum*; Spring wheat; UV-B radiation; Plant nutrients; Decomposition; Dry matter yield **40**, 187

Leaf conductance; Baldcypress; Flood-tolerance; Oak; Pecan; Pine; Photosynthesis **40**, 123

Leaf elongation rate; *Festuca arundinacea*; Abscisic acid; Glycinebetaine; Leaf water potential; Proline; Water deficit **40**, 17

Leaf water potential; *Festuca arundinacea*; Abscisic acid; Glycinebetaine; Leaf elongation rate; Proline; Water deficit **40**, 17

Leaves; *Dendrobium*; Flowers; High temperature; Photoinhibition; Tropical orchids **40**, 255

Lichen; *Cladonia portentosa*; Growth rate; Nitrogen; Heathland **40**, 67

Light quality; Photomorphogenesis; Tillering; Weeping lovegrass **40**, 247

Macrophyte; Decomposition; Detritus; Emergent plant; Sedimentation; Wetland **40**, 43

Maize; Chloroplast ultrastructure; Thylakoid stacking; Stomatal development; Bundle sheath cells; Mesophyll cells; Guard cells; *Zea mays* **40**, 221

Mannitol; Abscisic acid; Fusicoccin; Microdrop recorder; Polyethylene glycol; Root exudation; *Zea mays* **40**, 229

Mediterranean climate; Elevated CO_2; Grassland microcosms; Ecosystem photosynthesis; Ecosystem WUE; California annual grassland **40**, 147

Mesophyll cells; Chloroplast ultrastructure; Maize; Thylakoid stacking; Stomatal development; Bundle sheath cells; Guard cells; *Zea mays* **40**, 221

Microdrop recorder; Abscisic acid; Fusicoccin; Mannitol; Polyethylene glycol; Root exudation; *Zea mays* **40**, 229

Morphology; *Bromus catharticus*; Germination; Growth; Seed production; UV-B **40**, 179

Morphology; Climatic change; *Pseudotsuga menziesii*; Douglas fir; Bud; Temperature **40**, 159

Mycorrhiza; Carbon allocation; CO_2; Nitrogen; *Paxillus involutus*; Phosphorus; *Pinus sylvestris*; *Suillus bovinus* **40**, 237

Net assimilation rate; Drought; *Pennisetum americanum*; *Phaseolus vulgaris*; Stomatal conductance; *Vigna unguiculata* **40**, 197

Nitrate; Ammonium; Nitrate reductase; Nitrification; Nitrogen-15; Chalk grassland; *Holcus lanatus*; *Pastinaca sativa*; *Poa trivialis* **40**, 209

Nitrate reductase; Ammonium; Nitrate; Nitrification; Nitrogen-15; Chalk grassland; *Holcus lanatus*; *Pastinaca sativa*; *Poa trivialis* **40**, 209

Nitrification; Ammonium; Nitrate; Nitrate reductase; Nitrogen-15; Chalk grassland; *Holcus lanatus*; *Pastinaca sativa*; *Poa trivialis* **40**, 209

Nitrogen-15; Ammonium; Nitrate; Nitrate reductase; Nitrification; Chalk grassland; *Holcus lanatus*; *Pastinaca sativa*; *Poa trivialis* **40**, 209

Nitrogen; Cambium; Open-top chambers; Ozone; *Picea abies*; Sieve cells; Tracheids **40**, 113

Nitrogen; Carbon allocation; CO_2; Mycorrhiza; *Paxillus involutus*; Phosphorus; *Pinus sylvestris*; *Suillus bovinus* **40**, 237

Nitrogen; *Cladonia portentosa*; Lichen; Growth rate; Heathland **40**, 67

Number of lateral roots; *Helianthus annuus*; Growth pouch; Root fresh weight; Root chronology; Branching density; Hypocotyl growth and fresh weight; *Helianthus anomalus*; *Helianthus argophyllus*; *Helianthus exilis*; *Helianthus praecox*; *Helianthus petiolaris* **40**, 135

Oak; Baldcypress; Flood-tolerance; Leaf conductance; Pecan; Pine; Photosynthesis **40**, 123

Open-top chambers; Cambium; Nitrogen; Ozone; *Picea abies*; Sieve cells; Tracheids **40**, 113

Open-top chambers; Drought; *Fagus sylvatica*; Gas exchange; Ozone; *Picea abies* **40**, 77

Osmotic adjustment; Drought tolerance; Genotype; *Gossypium hirsutum*; Osmotic potential; Polyethylene glycol; Water-deficit stress; Water potential **40**, 29

Osmotic potential; Drought tolerance; Genotype; *Gossypium hirsutum*; Osmotic adjustment; Polyethylene glycol; Water-deficit stress; Water potential **40**, 29

Ozone; Cambium; Nitrogen; Open-top chambers; *Picea abies*; Sieve cells; Tracheids **40**, 113

Ozone; Drought; *Fagus sylvatica*; Gas exchange; Open-top chambers; *Picea abies* **40**, 77

Pastinaca sativa; Ammonium; Nitrate; Nitrate reductase; Nitrification; Nitrogen-15; Chalk grassland; *Holcus lanatus*; *Poa trivialis* **40**, 209

Paxillus involutus; Carbon allocation; CO_2; Mycorrhiza; Nitrogen; Phosphorus; *Pinus sylvestris*; *Suillus bovinus* **40**, 237

Pecan; Baldcypress; Flood-tolerance; Leaf conductance; Oak; Pine; Photosynthesis **40**, 123

Pennisetum americanum; Drought; Net assimilation rate; *Phaseolus vulgaris*; Stomatal conductance; *Vigna unguiculata* **40**, 197

Phaseolus coccineus; Calcium; Cadmium; Growth parameters; Homoglutathione; Acyl lipids; Photochemical activity **40**, 275

Phaseolus vulgaris; Drought; Net assimilation rate; *Pennisetum americanum*; Stomatal conductance; *Vigna unguiculata* **40**, 197

Phosphorus; Carbon allocation; CO_2; Mycorrhiza; Nitrogen; *Paxillus involutus*; *Pinus sylvestris*; *Suillus bovinus* **40**, 237

Photoassimilate partitioning; Pseudobulb; Stem internode; Rhizome; Tropical terrestrial orchids; *Spathoglottis unguiculata*; *Bromheadia finlaysoniana* **40**, 93

Photochemical activity; Calcium; Cadmium; Growth parameters; Homoglutathione; Acyl lipids; *Phaseolus coccineus* **40**, 275

Photoinhibition; *Dendrobium*; Flowers; High temperature; Leaves; Tropical orchids **40**, 255

Photomorphogenesis; Light quality; Tillering; Weeping lovegrass **40**, 247

Photosynthesis; Baldcypress; Flood-tolerance; Leaf conductance; Oak; Pecan; Pine **40**, 123

Picea abies; Cambium; Nitrogen; Open-top chambers; Ozone; Sieve cells; Tracheids **40**, 113

Picea abies; Drought; *Fagus sylvatica*; Gas exchange; Open-top chambers; Ozone **40**, 77

Pine; Baldcypress; Flood-tolerance; Leaf conductance; Oak; Pecan; Photosynthesis **40**, 123

Pinus sylvestris; Carbon allocation; CO_2; Mycorrhiza; Nitrogen; *Paxillus involutus*; Phosphorus; *Suillus bovinus* **40**, 237

Plant nutrients; *Triticum aestivum*; Spring wheat; UV-B radiation; Decomposition; Leaf chemistry; Dry matter yield **40**, 187

Poa trivialis; Ammonium; Nitrate; Nitrate reductase; Nitrification; Nitrogen-15; Chalk grassland; *Holcus lanatus*; *Pastinaca sativa* **40**, 209

Polyethylene glycol; Abscisic acid; Fusicoccin; Mannitol; Microdrop recorder; Root exudation; *Zea mays* **40**, 229

Polyethylene glycol; Drought tolerance; Genotype; *Gossypium hirsutum*; Osmotic potential; Osmotic adjustment; Water-deficit stress; Water potential **40**, 29

Poplar; Compatible solutes; Enzyme stability; Glutamine synthetase; Water stress; *Populus nigra* **40**, 173

Populus nigra; Poplar; Compatible solutes; Enzyme stability; Glutamine synthetase; Water stress **40**, 173

Proline; *Festuca arundinacea*; Abscisic acid; Glycinebetaine; Leaf elongation rate; Leaf water potential; Water deficit **40**, 17

Pseudobulb; Photoassimilate partitioning; Stem internode; Rhizome; Tropical terrestrial orchids; *Spathoglottis unguiculata*; *Bromheadia finlaysoniana* **40**, 93

Pseudotsuga menziesii; Climatic change; Douglas fir; Bud; Morphology; Temperature **40**, 159

QSAR; Halogeno-benzenes; Green alga; *Selenastrum capricornutum*; Structure–activity relationship **40**, 105

Rapeseed; Freezing injury; Electrolyte leakage; Degree of injury; Wheat; *Triticum aestivum*; *Brassica napus* **40**, 1

Rhizome; Photoassimilate partitioning; Pseudobulb; Stem internode; Tropical terrestrial orchids; *Spathoglottis unguiculata*; *Bromheadia finlaysoniana* **40**, 93

Root chronology; *Helianthus annuus*; Growth pouch; Root fresh weight; Branching density; Number of lateral roots; Hypocotyl growth and fresh weight; *Helianthus anomalus*; *Helianthus argophyllus*; *Helianthus exilis*; *Helianthus praecox*; *Helianthus petiolaris* **40**, 135

Root exudation; Abscisic acid; Fusicoccin; Mannitol; Microdrop recorder; Polyethylene glycol; *Zea mays* **40**, 229

Root fresh weight; *Helianthus annuus*; Growth pouch; Root chronology; Branching density; Number of lateral roots; Hypocotyl growth and fresh weight; *Helianthus anomalus*; *Helianthus argophyllus*; *Helianthus exilis*; *Helianthus praecox*; *Helianthus petiolaris* **40**, 135

Scenedesmus acutus; Chromium; Copper; Co-tolerance; Zinc **40**, 59

Sedimentation; Decomposition; Detritus; Emergent plant; Macrophyte; Wetland **40**, 43

Seed production; *Bromus catharticus*; Germination; Growth; Morphology; UV-B **40**, 179

Selenastrum capricornutum; Halogeno-benzenes; Green alga; Structure–activity relationship; QSAR **40**, 105

Sieve cells; Cambium; Nitrogen; Open-top chambers; Ozone; *Picea abies*; Tracheids **40**, 113

SO_2 pollution; Conidial germination; Cucumber; Fungus disease; *Sphaerotheca fuliginea* **40**, 265

Spathoglottis unguiculata; Photoassimilate partitioning; Pseudobulb; Stem internode; Rhizome; Tropical terrestrial orchids; *Bromheadia finlaysoniana* **40**, 93

Sphaerotheca fuliginea; Conidial germination; Cucumber; Fungus disease; SO_2 pollution **40**, 265

Spring wheat; *Triticum aestivum*; UV-B radiation; Plant nutrients; Decomposition; Leaf chemistry; Dry matter yield **40**, 187

Stem internode; Photoassimilate partitioning; Pseudobulb; Rhizome; Tropical terrestrial orchids; *Spathoglottis unguiculata*; *Bromheadia finlaysoniana* **40**, 93

Stomatal conductance; Drought; Net assimilation rate; *Pennisetum americanum*; *Phaseolus vulgaris*; *Vigna unguiculata* **40**, 197

Stomatal development; Chloroplast ultrastructure; Maize; Thylakoid stacking; Bundle sheath cells; Mesophyll cells; Guard cells; *Zea mays* **40**, 221

Structure–activity relationship; Halogeno-benzenes; Green alga; *Selenastrum capricornutum*; QSAR **40**, 105

Suillus bovinus; Carbon allocation; CO_2; Mycorrhiza; Nitrogen; *Paxillus involutus*; Phosphorus; *Pinus sylvestris* **40**, 237

Temperature; Climatic change; *Pseudotsuga menziesii*; Douglas fir; Bud; Morphology **40**, 159

Thylakoid stacking; Chloroplast ultrastructure; Maize; Stomatal development; Bundle sheath cells; Mesophyll cells; Guard cells; *Zea mays* **40**, 221

Tillering; Light quality; Photomorphogenesis; Weeping lovegrass **40**, 247

Tracheids; Cambium; Nitrogen; Open-top chambers; Ozone; *Picea abies*; Sieve cells **40**, 113

Triticum aestivum; Freezing injury; Electrolyte leakage; Degree of injury; Wheat; Rapeseed; *Brassica napus* **40**, 1

Triticum aestivum; Spring wheat; UV-B radiation; Plant nutrients; Decomposition; Leaf chemistry; Dry matter yield **40**, 187

Triticum durum; UV-B radiation; Wheat; Broad beans; Biomass; *Vicia faba* **40**, 11

Tropical orchids; *Dendrobium*; Flowers; High temperature; Leaves; Photoinhibition **40**, 255

Tropical terrestrial orchids; Photoassimilate partitioning; Pseudobulb; Stem internode; Rhizome; *Spathoglottis unguiculata*; *Bromheadia finlaysoniana* **40**, 93

UV-B; *Bromus catharticus*; Germination; Growth; Morphology; Seed production **40**, 179

UV-B radiation; *Triticum aestivum*; Spring wheat; Plant nutrients; Decomposition; Leaf chemistry; Dry matter yield **40**, 187

UV-B radiation; Wheat; Broad beans; Biomass; *Triticum durum*; *Vicia faba* **40**, 11

Vicia faba; UV-B radiation; Wheat; Broad beans; Biomass; *Triticum durum* **40**, 11

Vigna unguiculata; Drought; Net assimilation rate; *Pennisetum americanum*; *Phaseolus vulgaris*; Stomatal conductance **40**, 197

Water deficit; *Festuca arundinacea*; Abscisic acid; Glycinebetaine; Leaf elongation rate; Leaf water potential; Proline **40**, 17

Water-deficit stress; Drought tolerance; Genotype; *Gossypium hirsutum*; Osmotic potential; Osmotic adjustment; Polyethylene glycol; Water potential **40**, 29

Water potential; Drought tolerance; Genotype; *Gossypium hirsutum*; Osmotic potential; Osmotic adjustment; Polyethylene glycol; Water-deficit stress **40**, 29

Water stress; Poplar; Compatible solutes; Enzyme stability; Glutamine synthetase; *Populus nigra* **40**, 173

Weeping lovegrass; Light quality; Photomorphogenesis; Tillering **40**, 247

Wetland; Decomposition; Detritus; Emergent plant; Macrophyte; Sedimentation **40**, 43

Wheat; Freezing injury; Electrolyte leakage; Degree of injury; Rapeseed; *Triticum aestivum*; *Brassica napus* **40**, 1

Wheat; UV-B radiation; Broad beans; Biomass; *Triticum durum*; *Vicia faba* **40**, 11

Zea mays; Abscisic acid; Fusicoccin; Mannitol; Micro-drop recorder; Polyethylene glycol; Root exudation **40**, 229

Zea mays; Chloroplast ultrastructure; Maize; Thylakoid stacking; Stomatal development; Bundle sheath cells; Mesophyll cells; Guard cells **40**, 221

Zinc; Chromium; Copper; Co-tolerance; *Scenedesmus acutus* **40**, 59